

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	B R S	L1	90543	((error failure RSSI 'signal strength' BER) NEAR3 (detect\$3 confirm\$5 determin\$5))	USPAT	2002/07/15 08:14
2	B R S	L2	820	1 SAME ((download\$3 transmission reception deliver) NEAR4 (eliminat\$3 terminat\$3 stop\$4 end cancel\$6))	USPAT	2002/07/15 08:15
3	B R S	L3	682	2 AND ((@ad <= "19970313") or (@rlad <= "19970313"))	USPAT; US-PGPUB	2002/07/15 08:16
4	B R S	L4	40994	455/\$.ccls. 725/50 725/105-152.ccls.	USPAT	2002/07/15 08:17
5	B R S	L5	76	3 AND 4	USPAT	2002/07/15 08:17

	T Y P e	Hits	Search Text	DBs	Time Stamp
16	B R S	1522	(download\$3 transmission deliver) WITH ('operating system')	USPAT	2002/07/03 13:13
17	B R S	44	((download\$3 transmission deliver) WITH ('operating system')) SAME (wireless satellite microwave RF)	USPAT	2002/07/03 13:41
18	B R S	9	((download\$3 transmission deliver) WITH ('operating system')) SAME (wireless satellite microwave RF)) AND (725/\$.ccls. or 709/\$.ccls.)	USPAT	2002/07/03 13:20
19	B R S	411	((download\$3 transmission deliver) WITH ('operating system')) AND (725/\$.ccls. or 709/\$.ccls.)	USPAT	2002/07/03 13:20
20	B R S	285	((download\$3 transmission deliver) WITH ('operating system')) AND (725/\$.ccls. or 709/\$.ccls.) AND ((@ad <= "19970313") or (@rlad <= "19970313"))	USPAT	2002/07/03 13:37
21	B R S	100	((download\$3 transmission deliver) WITH ('operating system')) AND (725/\$.ccls. or 709/\$.ccls.) AND ((@ad <= "19970313") or (@rlad <= "19970313")) AND (wireless satellite microwave RF)	USPAT	2002/07/03 13:41

	Type	Hits	Search Text	DBs	Time Stamp
22	B R S	1	5701451.pn.	USPAT; US-PGPUB	2002/07/08 10:32
23	B R S	44039	455/\$.ccls. 725/50 725/105-152.ccls.	USPAT; US-PGPUB	2002/07/09 16:02
24	B R S	5653	(455/\$.ccls. 725/50 725/105-152.ccls.) AND ((error failure RSSI 'signal strength' BER) NEAR4 (detect\$3 confirm\$5 determin\$5))	USPAT; US-PGPUB	2002/07/09 16:05
25	B R S	1038	((455/\$.ccls. 725/50 725/105-152.ccls.) AND ((error failure RSSI 'signal strength' BER) NEAR4 (detect\$3 confirm\$5 determin\$5))) AND ((download\$3 transmission reception deliver) NEAR4 (eliminat\$3 terminat\$3 stop\$4 end cancel\$6))	USPAT; US-PGPUB	2002/07/09 16:09
26	B R S	776	((455/\$.ccls. 725/50 725/105-152.ccls.) AND ((error failure RSSI 'signal strength' BER) NEAR4 (detect\$3 confirm\$5 determin\$5))) AND ((download\$3 transmission reception deliver) NEAR4 (eliminat\$3 terminat\$3 stop\$4 end cancel\$6))) AND ((@ad <= "19970313") or (@rlad <= "19970313"))	USPAT; US-PGPUB	2002/07/09 16:11